EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5406261".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/07/30 12:49
S1	1	"5610981".pn.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/23 16:06
S2	22	"893670"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/23 18:11
S3	1	"10567335"	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 09:49
S4	13	"643537"	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 11:12
S6	1	"6463537".pn.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 11:14
S7	1	"4951249".pn.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 11:19
S8	4	"4951249".pn. or "5146499".pn. or "5007082".pn. or "5187352".pn.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 11:40
S12	158	pull$ off with interface	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:04
S15	1	(alarm or alarm circuit) disabl$4 with pins	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:09
S16	5	pull$3 hard disc	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:14
S17	1	pull$3 pins with alarm	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:15
S18	1787	pull$3 with alarm	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:17
S21	2	disconnect$3 terminal pins	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:17
S22	12	pull$3 off with data storage	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:22

S23	253	alarm circuit with parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 12:30
S25	4	alarm circuit with parallel with resistors	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 12:30
S28	238187	star wiring	USPAT	OR	OFF	2009/07/27 12:54
S29	89	star wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 12:54
S30	1	star wiring with alarm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 12:55
S31	37	star wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:02
S33	10	unplug$4 (data storage or hard drive or storage device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:09
S34	41842	(unplug$4 or disconnect $3 or remov$4 or pull$3) with (data storage or hard drive or storage device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:13
S35	55	(unplug$4 or disconnect $3 or remov$4 or pull$3) with (data storage or hard drive or storage device) with alarm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:13
S36	1	two capacitors with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:39
S37	26	capacitors with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:40
S38	13172	capacitors with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:48
S39	709	two capacitors with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:48
S42	2	two capacitors with network with detection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:48
S43	505	two capacitors with lines	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:50
S44	13	two capacitors with lines with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:50

S46	2855	network lines	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 17:11
S48	9	S46 with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 17:11
S49	6	network connections with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 17:20
S50	266023	capacitor	USPAT	OR	OFF	2009/07/27 17:24
S51	100	(US-20020143934-$ or US-20030169851-$ or US-20040193711-$ or US-20070083747-$ or US-20070180526-$ or US-20070289017-$ or US-20090035151-$ or US-20020008210-$ or US-20020010432-$ or US-20020024448-$ or US-20020038361-$ or US-20020057200-$ or US-20020104094-$ or US-20020178781-$ or US-20030128138-$ or US-20030218542-$ or US-20040051062-$ or US-20040059205-$ or US-20040075541-$ or US-20040107763-$ or US-20040131498-$ or US-20040135693-$ or US-20040174266-$ or US-20040235516-$ or US-20050102542-$ or US-20050128578-$).did. or (US-20050151629-$ or US-20050154325-$ or US-20050185790-$ or US-20060217902-$ or US-20060256966-$ or US-20070140847-$ or US-20080113599-$).did. or (US-5797006-$ or US-7185368-$ or US-7290283-$ or US-7475426-$ or US-7512980-$ or US-3638213-$ or US-3912452-$ or US-4027302-$ or US-4060803-$ or US-4115998-$ or US-4338493-$ or US-	US-PGPUB; USPAT	OR	OFF	2009/07/27 17:24

4356475-$ or US-
RE31750-$ or US-
4558311-$ or US-
4628520-$ or US-
4851815-$ or US-
4890095-$ or US-
4908604-$ or US-
5237518-$ or US-
5438996-$ or US-
5574430-$ or US-
5748508-$ or US-
5764159-$ or US-
6023222-$ or US-
6040779-$ or US-
6079025-$).did. or (US-
6133838-$ or US-
6472986-$ or US-
6614038-$ or US-
6703931-$ or US-
6849860-$ or US-
6894610-$ or US-
6917294-$ or US-
7034680-$ or US-
7130468-$ or US-
7298535-$ or US-
7324002-$ or US-
7373529-$ or US-
7437922-$ or US-
7530641-$ or US-
3596065-$ or US-
3598917-$ or US-
3624316-$ or US-
3681706-$ or US-
3703681-$ or US-
3770896-$ or US-
3813500-$ or US-
3839707-$ or US-
3841315-$ or US-
3969711-$ or US-
4023163-$ or US-
4086917-$ or US-
4096396-$).did. or (US-
4097696-$ or US-
4137780-$ or US-
4163227-$ or US-
4188624-$ or US-
4220951-$ or US-
4240077-$ or US-
4250829-$ or US-
4273961-$ or US-
4359626-$ or US-
4369436-$ or US-
4390869-$ or US-
4399428-$ or US-
4477755-$ or US-
4481503-$).did.

S52	19	S50 and S51	USPAT	OR	OFF	2009/07/27 17:25
S53	14168	alarm with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 17:41
S54	180	alarm circuit with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 17:41
S55	1	alarm circuit with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 17:41
S57	4	alarm circuit connect$3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 17:59
S59	2	alarm connect$3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:01
S60	74	alarm connect$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:03
S61	97	star wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:16
S62	1	star wiring with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:17

S63	24	star wiring and capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:17
S64	1	star wiring same capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:18
S65	329	star near3 wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:19
S66	2	(star near3 wiring) with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:19
S67	35	alarm circuit with transmission line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:21
S68	1	alarm circuit with transmission line with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:26
S69	13	alarm circuit with line with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:27
S72	13172	network with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 18:32
S73	110	network with capacitors and alarm circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 18:33
S75	13	network with capacitors same alarm circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 18:33

S77	55	(cut$4 off) near3 (network connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 07:49
S80	2	(cut$4 off) near3 (network connection) with detect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 07:51
S81	5	(cut$4 off) with (network connection) with detect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 07:51
S83	39	alarm near3 (network connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 08:31
S84	286	alarm with (network connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 08:38
S85	97	star wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 09:17
S87	1	star wiring with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 09:17
S90	8	wye near capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 09:19

S91	30582	(monitor$4 or detect$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 09:21
S92	23566	(monitor$4 or detect$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:21
S93	215	S92 with alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:22
S94	24	S92 with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:22
S96	23	radial wiring	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:47
S98	32	STAR configuration with capacitors	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:49
S101	3	STAR system with capacitors	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:57
S104	54	(STAR or "Y") configuration with capacitors	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 10:02
S105	22	(STAR or "Y") configuration with capacitors not S98	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 10:02
S107	16	alarm connect$3 near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:25
S108	74	alarm connect$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:28
S109	15	alarm coupl$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:29
S110	4	alarm circuit coupl$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:31

S111	11	alarm circuit connect$4 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:31
S113	36	alarm circuit connect$4 with line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:34
S115	5	alarm connect$4 with line with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:37
S117	2	alarm connect$4 with link with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:37
S118	54	alarm connect$4 with cable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:38
S119	17	alarm connect$4 near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:08
S120	5121	alarm near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:10
S121	17	alarm near3 network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:11

S122	1	alarm circuit near3 network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:12
S123	1	alarm circuit with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:12
S124	180	alarm circuit with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:13
S125	129	alarm circuit with network	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 14:13
S126	17	"531375"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 14:37
S127	1	"5231375".pn.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 14:37
S128	29	multiple alarms near4 network	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 14:55
S129	1	multiple alarms near4 lines	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 14:59
S130	2	multiple alarms with lines	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 15:00
S131	684	alarms with lines	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 15:01
S132	49	alarm circuits with lines	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 15:02
S133	106	capacitors near3 lines with network	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 15:55
S134	1	two capacitors near3 lines with network	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 16:02
S135	13	two capacitors with lines with network	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 16:02
S136	1	two capacitors with cables with network	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 16:06
S137	460	capacitors near3 transmission lines	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 16:16
S138	266242	capacitor	USPAT	OR	OFF	2009/07/28 16:23
S139	764	710/74.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:51

S140	3	S139 and monitor$3 device	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:51
S141	3	S139 and (monitor$3 computer)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:54
S142	0	S139 and (monitor$4 or detect$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:55
S143	55	"710".clas. and (monitor$4 or detect$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:55
S144	8	S143 and alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:58
S145	0	S143 and alarm	FPRS; EPO; JPO	ADJ	OFF	2009/07/28 18:00
S146	23566	(monitor$4 or detect$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 18:00
S147	4087	(monitor$4 or detect$4) with (line or signal or bus) with (capacitor)	FPRS; EPO; JPO	ADJ	OFF	2009/07/28 18:00
S148	46	(monitor$4 or detect$4) with (line or signal or bus) with (capacitor) with alarm	FPRS; EPO; JPO	ADJ	OFF	2009/07/28 18:00
S149	1	alarm circuits near3 parallel	FPRS; EPO; JPO	ADJ	OFF	2009/07/28 18:08
S150	15	alarm circuits near3 parallel	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 18:19
S151	9	alarm circuits near3 parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:27
S152	20	alarm circuits with parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:46
S153	9	(alarm circuits with parallel) and resistors	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:48
S154	10894	resistors near2 parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:58
S155	21	resistors near2 parallel and (alarm circuits)	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:58

S156	16	(US-20020191624-$).did. or (US-5610981-$ or US-4951249-$ or US-6463537-$ or US-4901057-$ or US-4433387-$ or US-4908604-$ or US-4060803-$ or US-6931102-$ or US-6195677-$ or US-6194979-$ or US-5926091-$ or US-6346880-$ or US-6539486-$ or US-6081193-$ or US-4675654-$).did.	US-PGPUB; USPAT	OR	OFF	2009/07/29 08:56
S157	14	S156 and (rest current)	USPAT	OR	OFF	2009/07/29 08:57
S158	0	S156 and (rest current)	USPAT	ADJ	OFF	2009/07/29 08:57
S160	0	(rest current) with alarm circuit	USPAT	ADJ	OFF	2009/07/29 09:00
S161	5	(rest current) with alarm	USPAT	ADJ	OFF	2009/07/29 09:00
S162	9	(rest current) with alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:01
S163	1	(rest current) with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:01
S164	7	monitor$3 near3 (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:04
S165	15	monitor$3 with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:07
S166	8	S165 not S164	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:07
S167	1	alarm detection with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:09
S169	9	alarm with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:09
S170	0	detectionwith (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:11
S171	5	detection with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:11
S172	808	rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:23
S173	808	(rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:31
S174	23	random-check generator	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:35
S175	1	random-check generator with rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:36

S176	0	randomgenerator with rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:36
S177	0	random generator with rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:36
S178	1	check generator with rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:36
S179	7	monitor with rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 10:49
S180	120	rest current with circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:32
S181	120	"rest current" with circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:37
S182	1278	current with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:42
S183	0	current absorption with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:42
S184	17	quiescent with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:42
S188	301	quiescent with alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:53
S189	1	bolt gun with destroy	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 14:17
S190	9	mechanical destroy	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 14:18
S191	84	mechanical$2 destroy	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 14:20
S192	95	degausser	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 14:54
S193	2	degausser with alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 14:54
S194	40	mechanical shredder	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:08
S195	128	shredder with computer	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:11
S196	2	mechanical$2 destroy$3 data	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:13
S197	422	mechanical$2 destroy$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:14
S198	10	mechanical$2 destroy$3 with data	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:17
S199	20	data shredder	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:17
S200	102	mechanical$2 eras$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:19
S201	37	destroy$3 with data carrier	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:23

S202	527	destroy$3 with data storage	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:28
S203	99	destroy$3 with hard drive	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:08
S204	0	mechanical$2 destroy$3 with (RAM or ROM)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:16
S205	6	mechanical$2 with destroy$3 with (RAM or ROM)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:16
S206	0	mechanical$2 with destroy$3 with hard drive	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:17
S207	9	mechanical$2 with destroy$3 with shredder	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:17
S208	18	data with destroy$3 with shredder	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:18
S209	1	data with destroy$3 with bolt	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:20
S210	764	device with destroy$3 with storage	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:20
S211	198	(device with destroy$3 with storage) and mechanical$2	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:25
S212	20	(US-20020191624-$ or US-20030160119-$ or US-20020170473-$).did. or (US-5610981-$ or US-4951249-$ or US-6463537-$ or US-4901057-$ or US-4433387-$ or US-4908604-$ or US-4060803-$ or US-6931102-$ or US-6195677-$ or US-6194979-$ or US-5926091-$ or US-6346880-$ or US-6539486-$ or US-6081193-$ or US-4675654-$ or US-4287513-$ or US-5406261-$).did.	US-PGPUB; USPAT	OR	OFF	2009/07/29 17:08
S213	2	S212 and (quiescent or quiessent)	USPAT	OR	OFF	2009/07/29 17:09
S214	29	"395627"	USPAT; DERWENT	OR	OFF	2009/07/30 10:40

S215	20	(US-20020191624-$ or US-20030160119-$ or US-20020170473-$).did. or (US-5610981-$ or US-4951249-$ or US-6463537-$ or US-4901057-$ or US-4433387-$ or US-4908604-$ or US-4060803-$ or US-6931102-$ or US-6195677-$ or US-6194979-$ or US-5926091-$ or US-6346880-$ or US-6539486-$ or US-6081193-$ or US-4675654-$ or US-4287513-$ or US-5406261-$).did.	US-PGPUB; USPAT	OR	OFF	2009/07/30 10:45
S216	20	S215	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/07/30 10:45
S217	1	"09068889"	USPAT; DERWENT	OR	OFF	2009/07/30 10:46
S218	2	"6081193".pn.	USPAT; DERWENT	OR	OFF	2009/07/30 10:47

7/30/2009 2:25:20 PM
C:\ Documents and Settings\ dlewistaylor\ My Documents\ EAST\ Workspaces\ 10567335.wsp